

TOP LIGHT - LED TAIL LIGHT

Integrated work- or reverse light



Compact and Slim Design

Increased safety and comfort

The Ermox Top light 4 functions tail light in LED and with intergrated work- or reverse light, offers as high light a small, slim and modern design for almost all application - on the trailer as well as on the truck.

The Ermox Top light LED tail light is due to its size and slim design applicable for many purposes, especially for where there are limited and narrow mounting surfaces. High-mounted in order to use the work light function - or mounted in a height of max. 1.200 mm to use the reverse light function.




High lights


- Slim and compact design - Optimal as high-mounted tail lights
- Intergrated work- or reverse light
- Progressive direction indicator light
- Impact-resistant lens made of Polycarbonate
- Ideal as high-mounted light for use as work light in order to lighten up the work area in th rear end of the trailer or truck
- Especially suitable for vehicles with limited mounting surfaces
- Certified according to all relevant standards and regulations in Europe

LED Tail light 12/24 with intergrated reverse- or work light

Open-end



Socket connection



Connection open end:

White = Ground
 Green = Position light
 Yellow = Progressive dir. indicator light
 Red = Stop light
 Black = Work- / Reverse light

Description

Lens: Impact resistant polycarbonate
 Housing: Impact resistant polycarbonate with backplate of aluminium
 Dimension: 210 x 50 x 22 mm
 Bolt distance: 190 mm / M4
 Working temperature: -40°C - +65°C
 IP-Rating: IP69K

Consumption per function

Position light: 0,6W
 Stop light: 2,7W
 Progressive dir. indicator: 2,5W
 Work- / Reverse light: 10W

Obs - approved as reverse light with installation height of max. 1.200 mm



Type	Right → left ←	Position Stop Progressive dir. indicator	Work light / Reverse light * Lumen theoretical/ effektive	Connection and cable length	Article no.
LED	→	✓	950 / 730 Lumen	5.000 mm cable open end	098 212 240
LED	←	✓	950 / 730 Lumen	5.000 mm cable open end	098 212 241
LED	→	✓	950 / 730 Lumen	300 mm cable with 7 poled AMP socket 300 mm cable with 2 poled Super Seal socket	098 212 242
LED	←	✓	950 / 730 Lumen	300 mm cable with 7 poled AMP socket 300 mm cable with 2 poled Super Seal socket	098 212 243

Brands of the BPW Group:



June 2022 • Version 2.0



ERMAX A/S
Vranderupvej 2 • DK-6000 Kolding
Tel. +45 3969 6800 • www.ermax.dk